

Host OS: Mac OS X  
OS Version: 10.10.4  
OS Arch: x86\_64

JRE Version: 1.7.0\_80  
JRE Vendor: Oracle Corporation  
JRE Home: /Library/Java/JavaVirtualMachines/jdk1.7.0\_80.jdk/Contents/Home/jre

Appcelerator Studio Version: 4.0.0.201505191725  
Install Directory: file:/Applications/Appcelerator Studio/  
Workspace Directory: file:/Users/Lamar/  
VM Arguments: -Xms128m  
-Xmx1024m  
-XX:MaxPermSize=256m  
-Xverify:none  
-Declipse.p2.unsignedPolicy=allow  
-Declipse.log.size.max=10000  
-Declipse.log.backup.max=5  
-Dtitanium.moduleListUrl=http://preview.appcelerator.com/360/modules.json  
-Dfile.encoding=UTF-8  
-Xdock:icon=../Resources/titanium.icns  
-XstartOnFirstThread  
-Dorg.eclipse.swt.internal.carbon.smallFonts  
-Djava.class.path=/Applications/Appcelerator Studio/AppceleratorStudio.app/Contents/MacOS/../../../../plugins/org.eclipse.equinox.launcher\_1.3.0.v20140415-2008.jar

Language: en\_US

Test Service Module Required version: 7732.313. Is Installed: false  
Test Service Host/URL: http://cloudtest.360.appcelerator.com/concerto/touchtest  
Test Service Server Endpoint URL: http://cloudtest.360.appcelerator.com/concerto  
ACS App URL: null  
ACS Login URL: null

XCode Version: 6.3.2

iOS Info Output

```
{ "ios": { "selectedXcode": { "selected": true, "sdks": [ "8.3" ], "supported": true, "path": "\nApplications\\Xcode.app\\Contents\\Developer", "xcodeapp": "\nApplications\\Xcode.app", "executables": { "libtool": "\nApplications\\Xcode.app\\Contents\\Developer\\Toolchains\\XcodeDefault.xctoolchain\\usr\\bin\\libtool", "lipo": "\nApplications\\Xcode.app\\Contents\\Developer\\Toolchains\\XcodeDefault.xctoolchain\\usr\\bin\\lipo", "otool": "\nApplications\\Xcode.app\\Contents\\Developer\\Toolchains\\XcodeDefault.xctoolchain\\usr\\bin\\otool", "xcodebuild": "\nApplications\\Xcode.app\\Contents\\Developer\\usr\\bin\\xcodebuild", "clang": "\nApplications\\Xcode.app\\Contents\\Developer\\Toolchains\\XcodeDefault.xctoolchain\\usr\\bin\\clang", "clang_xx": "\nApplications\\Xcode.app\\Contents\\Developer\\Toolchains\\XcodeDefault.xctoolchain\\usr\\bin\\clang++" }, "sims": [ "8.3" ], "build": "6D2105", "version": "6.3.2" }, "certs": { "wwdr": true, "keychains": { "\nLibrary\\
```

```
Keychains\System.keychain":{"developer":[],"distribution":[]},"VUsers\Lamar\Library\
Keychains\Microsoft_Intermediate_Certificates":{"developer":[],"distribution":[]},"VUsers
\Lamar\Library\Application Support\Adobe\AIRVELS\com.adobe.amp.
4875E02D9FB21EE389F73B8D1702B320485DF8CE.1\PrivateEncryptedDatak":
{"developer":[],"distribution":[]},"VUsers\Lamar\Library\Keychains\login.keychain":
{"developer":[],"distribution":[]}},"xcodes":{"6.3.2:6D2105":{"selected":true,"sdks":
["8.3"],"supported":true,"path":"VApplications\Xcode.app\Contents\
Developer","xcodesapp":"VApplications\Xcode.app","executables":{"libtool":"V
Applications\Xcode.app\Contents\Developer\Toolchains\XcodeDefault.xctoolchain\
usr\bin\libtool","lipo":"VApplications\Xcode.app\Contents\Developer\Toolchains\
XcodeDefault.xctoolchain\usr\bin\lipo","otool":"VApplications\Xcode.app\Contents\
Developer\Toolchains\XcodeDefault.xctoolchain\usr\bin\otool","xcodesbuild":"V
Applications\Xcode.app\Contents\Developer\usr\bin\xcodesbuild","clang":"V
Applications\Xcode.app\Contents\Developer\Toolchains\XcodeDefault.xctoolchain\
usr\bin\clang","clang_xx":"VApplications\Xcode.app\Contents\Developer\Toolchains\
XcodeDefault.xctoolchain\usr\bin\clang++"},"sims":
["8.3"],"build":"6D2105","version":"6.3.2"},"issues":[{"message":"Unable to find any valid
iOS development provisioning profiles.\nThis will prevent you from building apps for
testing on iOS devices.\nYou will need to login into __http:\Vappcelerator.com\ios-dev-
certs__ with your Apple Download account, then create, download, and install a
profile.","id":"IOS_NO_VALID_DEVELOPMENT_PROVISIONING_PROFILES","type":"
warning"}],"message":"Unable to find any valid iOS adhoc provisioning profiles.\nThis
will prevent you from packaging apps for adhoc distribution.\nYou will need to login into
__http:\Vappcelerator.com\ios-dist-certs__ with your Apple Download account, then
create, download, and install a
profile.","id":"IOS_NO_VALID_ADHOC_PROVISIONING_PROFILES","type":"warning"}],
{"message":"Unable to find any valid iOS distribution provisioning profiles.\nThis will
prevent you from packaging apps for AppStore distribution.\nYou will need to login into
__http:\Vappcelerator.com\ios-dist-certs__ with your Apple Download account, then
create, download, and install a
profile.","id":"IOS_NO_VALID_DISTRIBUTION_PROVISIONING_PROFILES","type":"w
arning"}],"message":"Unable to find any valid iOS developer certificates.\nThis will
prevent you from building apps for iOS devices.\nYou will need to login into __http:\V
appcelerator.com\ios-dev-certs__ with your Apple Download account, then create,
download, and install a
certificate.","id":"IOS_NO_VALID_DEV_CERTS_FOUND","type":"warning"}],
{"message":"Unable to find any valid iOS production distribution certificates.\nThis will
prevent you from packaging apps for distribution.\nYou will need to login into __http:\V
appcelerator.com\ios-dist-certs__ with your Apple Download account, then create,
download, and install a
certificate.","id":"IOS_NO_VALID_DIST_CERTS_FOUND","type":"warning"}],"executabl
es":{"ios-sim":"VUsers\Lamar\Library\Application Support\Titanium\mobilesdk\vosx\
4.0.0.GA\node_modules\ioslib\lib\ios-sim","security":"Vusr\bin\
security","xcodesSelect":"Vusr\bin\xcodes-select"},"tisdk":"4.0.0.GA","crashDir":"VUsers\
Lamar\Library\Logs\DiagnosticReports","devices":[{"name":"iTunes
Sync","udid":"itunes"}],"detectVersion":"3.0","provisioning":{"profileDir":"VUsers\Lamar\
Library\MobileDevice\Provisioning Profiles","development":[],"distribution":[],"adhoc":
```

```
[{}], "simulators": {"8.3": [{"app": "\Applications\Xcode.app\Contents\Developer\Applications\iOS Simulator.app", "ios": "8.3", "xcode": "6.3.2", "systemLog": "\Users\Lamar\Library\Logs\CoreSimulator\ADCF9692-6A38-4FE5-95CE-6BDA48FBBCFF\system.log", "logFile": null, "udid": "ADCF9692-6A38-4FE5-95CE-6BDA48FBBCFF", "type": "iphone", "retina": true, "logPaths": ["\Users\Lamar\Library\Developer\CoreSimulator\Devices\ADCF9692-6A38-4FE5-95CE-6BDA48FBBCFF\data\Applications", "\Users\Lamar\Library\Developer\CoreSimulator\Devices\ADCF9692-6A38-4FE5-95CE-6BDA48FBBCFF\data\Containers\DataVApplication"], "cmd": ["\Users\Lamar\Library\Application Support\Titanium\mobilesdk\osx\4.0.0.GAVnode_modules\vioslib\lib\vios-sim", "launch", "<app path>", "--verbose", "--xcode-dir", "\Applications\Xcode.app\Contents\Developer", "--udid", "ADCF9692-6A38-4FE5-95CE-6BDA48FBBCFF"], "deviceType": "iPhone 4s", "name": "iPhone 4s", "resizable": false, "tall": false, "64bit": false}, {"app": "\Applications\Xcode.app\Contents\Developer\Applications\iOS Simulator.app", "ios": "8.3", "xcode": "6.3.2", "systemLog": "\Users\Lamar\Library\Logs\CoreSimulator\6C06ED4F-77EE-4D38-A002-FD0EBBE324AB\system.log", "logFile": null, "udid": "6C06ED4F-77EE-4D38-A002-FD0EBBE324AB", "type": "iphone", "retina": true, "logPaths": ["\Users\Lamar\Library\Developer\CoreSimulator\Devices\6C06ED4F-77EE-4D38-A002-FD0EBBE324AB\data\Applications", "\Users\Lamar\Library\Developer\CoreSimulator\Devices\6C06ED4F-77EE-4D38-A002-FD0EBBE324AB\data\Containers\DataVApplication"], "cmd": ["\Users\Lamar\Library\Application Support\Titanium\mobilesdk\osx\4.0.0.GAVnode_modules\vioslib\lib\vios-sim", "launch", "<app path>", "--verbose", "--xcode-dir", "\Applications\Xcode.app\Contents\Developer", "--udid", "6C06ED4F-77EE-4D38-A002-FD0EBBE324AB"], "deviceType": "iPhone 5", "name": "iPhone 5", "resizable": false, "tall": true, "64bit": false}, {"app": "\Applications\Xcode.app\Contents\Developer\Applications\iOS Simulator.app", "ios": "8.3", "xcode": "6.3.2", "systemLog": "\Users\Lamar\Library\Logs\CoreSimulator\856E30B2-BA4A-4A50-AEC6-FFA60EDCC981\system.log", "logFile": null, "udid": "856E30B2-BA4A-4A50-AEC6-FFA60EDCC981", "type": "iphone", "retina": true, "logPaths": ["\Users\Lamar\Library\Developer\CoreSimulator\Devices\856E30B2-BA4A-4A50-AEC6-FFA60EDCC981\data\Applications", "\Users\Lamar\Library\Developer\CoreSimulator\Devices\856E30B2-BA4A-4A50-AEC6-FFA60EDCC981\data\Containers\DataVApplication"], "cmd": ["\Users\Lamar\Library\Application Support\Titanium\mobilesdk\osx\4.0.0.GAVnode_modules\vioslib\lib\vios-sim", "launch", "<app path>", "--verbose", "--xcode-dir", "\Applications\Xcode.app\Contents\Developer", "--udid", "856E30B2-BA4A-4A50-AEC6-FFA60EDCC981"], "deviceType": "iPhone 5s", "name": "iPhone 5s", "resizable": false, "tall": true, "64bit": true}, {"app": "\Applications\Xcode.app\Contents\Developer\Applications\iOS Simulator.app", "ios": "8.3", "xcode": "6.3.2", "systemLog": "\Users\Lamar\Library\Logs\CoreSimulator\749323CB-60F4-4947-A73D-FE3EBBDD702D\system.log", "logFile": null, "udid": "749323CB-60F4-4947-A73D-FE3EBBDD702D", "type": "iphone", "retina": true, "logPaths": ["\Users\Lamar\Library\Developer\CoreSimulator\Devices\749323CB-60F4-4947-A73D-FE3EBBDD702D\data\Applications", "\Users\Lamar\Library\Developer\CoreSimulator\Devices\749323CB-60F4-4947-A73D-FE3EBBDD702D\data\Containers\DataVApplication"], "cmd": ["\Users\Lamar\Library\Application Support\Titanium\mobilesdk\
```

osxV4.0.0.GAVnode\_modulesVioslibVlibVios-sim", "launch", "<app path>", "--verbose", "--xcode-dir", "VApplicationsVXcode.appVContentsVDeveloper", "--udid", "749323CB-60F4-4947-A73D-FE3EBBDD702D"], "deviceType": "iPhone 6 Plus", "name": "iPhone 6 Plus", "resizable": false, "tall": true, "64bit": true}, {"app": "VApplicationsVXcode.appVContentsVDeveloperVApplicationsViOS Simulator.app", "ios": "8.3", "xcode": "6.3.2", "systemLog": "VUsersVLamarVLibraryVLogsVCoreSimulatorVFA1C92BD-367A-4328-8917-5D6135D69DFDVsystem.log", "logFile": null, "udid": "FA1C92BD-367A-4328-8917-5D6135D69DFD", "type": "iphone", "retina": true, "logPaths": ["VUsersVLamarVLibraryVDeveloperVCoreSimulatorVDevicesVFA1C92BD-367A-4328-8917-5D6135D69DFDVdataVApplications", "VUsersVLamarVLibraryVDeveloperVCoreSimulatorVDevicesVFA1C92BD-367A-4328-8917-5D6135D69DFDVdataVContainersVDataVApplication"], "cmd": ["VUsersVLamarVLibraryVApplication SupportVTitaniumVmobilesdkVosxV4.0.0.GAVnode\_modulesVioslibVlibVios-sim", "launch", "<app path>", "--verbose", "--xcode-dir", "VApplicationsVXcode.appVContentsVDeveloper", "--udid", "FA1C92BD-367A-4328-8917-5D6135D69DFD"], "deviceType": "iPhone 6", "name": "iPhone 6", "resizable": false, "tall": true, "64bit": true}, {"app": "VApplicationsVXcode.appVContentsVDeveloperVApplicationsViOS Simulator.app", "ios": "8.3", "xcode": "6.3.2", "systemLog": "VUsersVLamarVLibraryVLogsVCoreSimulatorV2BD9A230-AD3D-4F81-BE49-722D689ADDBDVsystem.log", "logFile": null, "udid": "2BD9A230-AD3D-4F81-BE49-722D689ADDBD", "type": "ipad", "retina": false, "logPaths": ["VUsersVLamarVLibraryVDeveloperVCoreSimulatorVDevicesV2BD9A230-AD3D-4F81-BE49-722D689ADDBDVdataVApplications", "VUsersVLamarVLibraryVDeveloperVCoreSimulatorVDevicesV2BD9A230-AD3D-4F81-BE49-722D689ADDBDVdataVContainersVDataVApplication"], "cmd": ["VUsersVLamarVLibraryVApplication SupportVTitaniumVmobilesdkVosxV4.0.0.GAVnode\_modulesVioslibVlibVios-sim", "launch", "<app path>", "--verbose", "--xcode-dir", "VApplicationsVXcode.appVContentsVDeveloper", "--udid", "2BD9A230-AD3D-4F81-BE49-722D689ADDBD"], "deviceType": "iPad 2", "name": "iPad 2", "resizable": false, "tall": false, "64bit": false}, {"app": "VApplicationsVXcode.appVContentsVDeveloperVApplicationsViOS Simulator.app", "ios": "8.3", "xcode": "6.3.2", "systemLog": "VUsersVLamarVLibraryVLogsVCoreSimulatorVB94AF9DA-E070-4A51-93BA-AB87BD5DC7D6Vsystem.log", "logFile": null, "udid": "B94AF9DA-E070-4A51-93BA-AB87BD5DC7D6", "type": "ipad", "retina": true, "logPaths": ["VUsersVLamarVLibraryVDeveloperVCoreSimulatorVDevicesVB94AF9DA-E070-4A51-93BA-AB87BD5DC7D6VdataVApplications", "VUsersVLamarVLibraryVDeveloperVCoreSimulatorVDevicesVB94AF9DA-E070-4A51-93BA-AB87BD5DC7D6VdataVContainersVDataVApplication"], "cmd": ["VUsersVLamarVLibraryVApplication SupportVTitaniumVmobilesdkVosxV4.0.0.GAVnode\_modulesVioslibVlibVios-sim", "launch", "<app path>", "--verbose", "--xcode-dir", "VApplicationsVXcode.appVContentsVDeveloper", "--udid", "B94AF9DA-E070-4A51-93BA-AB87BD5DC7D6"], "deviceType": "iPad Retina", "name": "iPad Retina", "resizable": false, "tall": false, "64bit": false}, {"app": "VApplicationsVXcode.appVContentsVDeveloperVApplicationsViOS Simulator.app", "ios": "8.3", "xcode": "6.3.2", "systemLog": "VUsersVLamarVLibraryVLogsVCoreSimulatorV42069C9F-2544-45E1-9D18-3A6915C61FC1Vsystem.log", "logFile": null, "udid": "42069C9F-2544-45E1-9D18-3A6915C61FC1", "type": "ipad", "retina": true, "logPaths": ["VUsersVLamarVLibraryVDeveloperVCoreSimulatorV

```
Devices\42069C9F-2544-45E1-9D18-3A6915C61FC1\data\Applications", "\Users\
Lamar\Library\Developer\CoreSimulator\Devices\
42069C9F-2544-45E1-9D18-3A6915C61FC1\data\Containers\Data\
Application"], "cmd": ["\Users\Lamar\Library\Application Support\Titanium\mobilesdk\
osx\4.0.0.GA\node_modules\ioslib\lib\ios-sim", "launch", "<app path>", "--verbose", "--
xcode-dir", "\Applications\Xcode.app\Contents\Developer", "--
udid", "42069C9F-2544-45E1-9D18-3A6915C61FC1"], "deviceType": "iPad
Air", "name": "iPad Air", "resizable": false, "tall": false, "64bit": true}, {"app": "\Applications\
Xcode.app\Contents\Developer\Applications\iOS
Simulator.app", "ios": "8.3", "xcode": "6.3.2", "systemLog": "\Users\Lamar\Library\Logs\
CoreSimulator\1B7A9245-A8CB-4776-8650-677F15090A15\
system.log", "logFile": null, "udid": "1B7A9245-
A8CB-4776-8650-677F15090A15", "type": "iphone", "retina": true, "logPaths": ["\Users\
Lamar\Library\Developer\CoreSimulator\Devices\1B7A9245-
A8CB-4776-8650-677F15090A15\data\Applications", "\Users\Lamar\Library\
Developer\CoreSimulator\Devices\1B7A9245-A8CB-4776-8650-677F15090A15\data
\Containers\Data\Application"], "cmd": ["\Users\Lamar\Library\Application Support\
Titanium\mobilesdk\osx\4.0.0.GA\node_modules\ioslib\lib\ios-sim", "launch", "<app
path>", "--verbose", "--xcode-dir", "\Applications\Xcode.app\Contents\Developer", "--
udid", "1B7A9245-A8CB-4776-8650-677F15090A15"], "deviceType": "Resizable
iPhone", "name": "Resizable iPhone", "resizable": true, "tall": true, "64bit": true}, {"app": "\
Applications\Xcode.app\Contents\Developer\Applications\iOS
Simulator.app", "ios": "8.3", "xcode": "6.3.2", "systemLog": "\Users\Lamar\Library\Logs\
CoreSimulator\916FE2EB-64A2-4F85-84DD-4688BD4F2F26\
system.log", "logFile": null, "udid": "916FE2EB-64A2-4F85-84DD-4688BD4F2F26", "type": "i
pad", "retina": true, "logPaths": ["\Users\Lamar\Library\Developer\CoreSimulator\
Devices\916FE2EB-64A2-4F85-84DD-4688BD4F2F26\data\Applications", "\Users\
Lamar\Library\Developer\CoreSimulator\Devices\
916FE2EB-64A2-4F85-84DD-4688BD4F2F26\data\Containers\Data\
Application"], "cmd": ["\Users\Lamar\Library\Application Support\Titanium\mobilesdk\
osx\4.0.0.GA\node_modules\ioslib\lib\ios-sim", "launch", "<app path>", "--verbose", "--
xcode-dir", "\Applications\Xcode.app\Contents\Developer", "--
udid", "916FE2EB-64A2-4F85-84DD-4688BD4F2F26"], "deviceType": "Resizable
iPad", "name": "Resizable iPad", "resizable": true, "tall": false, "64bit": true}}}]}
```

Selected Titanium SDK: 4.0.0.GA  
Latest Titanium SDK: 4.0.0.GA

Titanium SDK Version: 4.0.0.GA  
SDK Modules API Version: 2  
SDK Timestamp: 05/18/15 15:42  
SDK Build Number: 9239ff9  
SDK Location: /Users/Lamar/Library/Application Support/Titanium/mobilesdk/osx/  
4.0.0.GA

Titanium SDK Version: 4.0.0.RC5  
SDK Modules API Version: 2

SDK Timestamp: 05/18/15 15:42  
SDK Build Number: 9239ff9  
SDK Location: /Users/Lamar/Library/Application Support/Titanium/mobilesdk/osx/  
4.0.0.RC5

Titanium SDK Version: 4.0.0.RC4  
SDK Modules API Version:2  
SDK Timestamp: 05/12/15 15:34  
SDK Build Number: 9b7d303  
SDK Location: /Users/Lamar/Library/Application Support/Titanium/mobilesdk/osx/  
4.0.0.RC4

Titanium SDK Version: 3.1.1.GA  
SDK Modules API Version:2  
SDK Timestamp: 06/15/13 16:09  
SDK Build Number: f7592c1  
SDK Location: /Users/Lamar/Library/Application Support/Titanium/mobilesdk/osx/  
3.1.1.GA

Titanium SDK Version: 2.1.1.GA  
SDK Modules API Version:null  
SDK Timestamp: null  
SDK Build Number: null  
SDK Location: /Users/Lamar/Library/Application Support/Titanium/mobilesdk/osx/  
2.1.1.GA

Titanium SDK Version: 2.1.0.GA  
SDK Modules API Version:null  
SDK Timestamp: null  
SDK Build Number: null  
SDK Location: /Users/Lamar/Library/Application Support/Titanium/mobilesdk/osx/  
2.1.0.GA

Titanium SDK Version: 2.0.2.GA  
SDK Modules API Version:null  
SDK Timestamp: null  
SDK Build Number: null  
SDK Location: /Users/Lamar/Library/Application Support/Titanium/mobilesdk/osx/  
2.0.2.GA

Titanium SDK Version: 2.0.1.GA2  
SDK Modules API Version:null  
SDK Timestamp: null  
SDK Build Number: null  
SDK Location: /Users/Lamar/Library/Application Support/Titanium/mobilesdk/osx/  
2.0.1.GA2

## Browsers

- Default system web browser: Unknown (N/A)
- Firefox: Unknown (/Applications/Firefox.app)
- Firefox: 10.0.2 (/Applications/Firefox.app/Contents/MacOS/firefox-bin)
- Safari: 8.0.7 (/Applications/Safari.app/Contents/MacOS/Safari)
- Chrome: 43.0.2357.65 (/Applications/Google Chrome.app/Contents/MacOS/Google Chrome)

Android SDK Version: 4.1.2

Android NDK Version: Unknown/Uninstalled

## Android Info Output

```
{ "android": { "home": "\Users\LamarV.android", "emulators":
[ { "id": "titanium_1_WVGA800", "name": "titanium_1_WVGA800", "abi": "armeabi-
v7a", "target": "Android 4.1.2 (API level 16)", "path": "\Users\LamarV.android\avd\
titanium_1_WVGA800.avd", "api-level": 16, "googleApis": false, "sdk-
version": "4.1.2", "type": "avd", "sdcard": "\Users\LamarV.android\avd\
titanium_1_WVGA800.avd\sdcard.img", "skin": "wvga800" }, ], "issues":
[ { "message": "Unable to locate an Android NDK.\nWithout the NDK, you will not be able
to build native Android Titanium modules.\nIf you have already downloaded and
installed the Android NDK, you can tell Titanium where the Android NDK is located by
running ' __titanium config android.ndkPath \path\to\android-ndk__ ', otherwise you can
install it by running ' __titanium setup android__ ' or manually downloading from __http:\
Vappcelerator.com\android-
ndk__.", "id": "ANDROID_NDK_NOT_FOUND", "type": "warning"}, { "message": "The
Android emulator \"titanium_17_WVGA854\" has a problem:\nUnknown target 'Google
Inc.:Google APIs:15' in \Users\LamarV.android\avd\
titanium_17_WVGA854.ini", "id": "ANDROID_INVALID_EMULATOR", "type": "warning"}, ], "v
endorDependencies": { "android sdk": ">=14 <=22", "node": ">=0.10.0 <=0.12.x", "android
tools": "<=24.1.2", "android platform tools": ">=17 <=22.x", "android build tools": ">=17
<22.x", "java": "<=1.8.x", "android ndk": ">=r8e <=r9", "ndk": null, "sdk": { "tools":
{ "supported": true, "path": "\Users\LamarV.Library\android-sdk-macosx\
tools", "version": "22.6.3", "dx": "\Users\LamarV.Library\android-sdk-macosx\build-tools\
19.0.3\lib\dx.jar", "platformTools": { "supported": true, "path": "\Users\LamarV.Library\
android-sdk-macosx\platform-tools", "version": "19.0.1", "path": "\Users\LamarV.Library\
android-sdk-macosx", "buildTools": { "supported": true, "path": "\Users\LamarV.Library\
android-sdk-macosx\build-tools\
19.0.3", "maxSupported": "<22.x", "tooNew": true, "version": "19.0.3"}, "executables":
{ "mksdcard": "\Users\LamarV.Library\android-sdk-macosx\tools\mksdcard", "aapt": "\
Users\LamarV.Library\android-sdk-macosx\build-tools\19.0.3\aaapt", "adb": "\Users\
LamarV.Library\android-sdk-macosx\platform-tools\adb", "dx": "\Users\LamarV.Library\
android-sdk-macosx\build-tools\19.0.3\dx", "android": "\Users\LamarV.Library\android-
sdk-macosx\tools\android", "emulator": "\Users\LamarV.Library\android-sdk-macosx\
tools\emulator", "aidl": "\Users\LamarV.Library\android-sdk-macosx\build-tools\19.0.3\
aidl", "zipalign": "\Users\LamarV.Library\android-sdk-macosx\tools\
zipalign"}, "proguard": "\Users\LamarV.Library\android-sdk-macosx\tools\proguard\lib\
proguard.jar"}, "linux64bit": null, "devices":
[ ], "tisdk": "4.0.0.GA", "detectVersion": "2.0", "targets": { "1": { "abis": [ "armeabi-
```

```
v7a","mips","x86"],"api-level":16,"type":"platform","androidJar":"\Users\Lamar\Library\
android-sdk-macosx\platforms\android-16\
android.jar","version":"4.1.2","id":"1","revision":4,"apiLevel":"16","aidl":"\Users\Lamar\
Library\android-sdk-macosx\platforms\android-16\framework.aidl","ABIs":["armeabi-
v7a","mips","x86"],"name":"Android 4.1.2","supported":true,"path":"\Users\Lamar\
Library\android-sdk-macosx\platforms\android-16","sdk":16,"skins":
[["HVGA","QVGA","WQVGA400","WQVGA432","WSVGA","WVGA800","WVGA854","W
XGA720","WXGA800","WXGA800-7in"]]]}}}
```

Node.ACS Host URL: null  
LiveView Version: unknown

Node.JS Version: v0.10.37  
NPM Path: /usr/local/bin/npm  
NPM Version: 1.4.28

```
/usr/local/lib
├── appcelerator@4.0.0
├── npm@1.4.28
├── steroids@4.1.0
└── titanium-code-processor@1.1.1
```

```
npm -g ls titanium: /usr/local/lib
└── (empty)
```

```
Packages: /usr/local/lib
├── appcelerator@4.0.0
│   ├── chalk@0.5.1
│   │   ├── ansi-styles@1.1.0
│   │   ├── escape-string-regexp@1.0.3
│   │   ├── has-ansi@0.1.0
│   │   │   └── ansi-regex@0.2.1
│   │   ├── strip-ansi@0.3.0
│   │   │   └── ansi-regex@0.2.1
│   │   └── supports-color@0.2.0
│   ├── debug@2.2.0
│   │   └── ms@0.7.1
│   ├── lodash@2.4.2
│   ├── progress@1.1.8
│   ├── request@2.55.0
│   │   ├── aws-sign2@0.5.0
│   │   ├── bl@0.9.4
│   │   │   └── readable-stream@1.0.33
│   │   │       ├── core-util-is@1.0.1
│   │   │       ├── inherits@2.0.1
│   │   │       ├── isarray@0.0.1
│   │   │       └── string_decoder@0.10.31
│   ├── caseless@0.9.0
│   ├── combined-stream@0.0.7
│   │   └── delayed-stream@0.0.5
```



```
— forever-agent@0.6.1
— form-data@0.2.0
  — async@0.9.2
— har-validator@1.7.0
  — bluebird@2.9.25
  — chalk@1.0.0
    — ansi-styles@2.0.1
    — escape-string-regexp@1.0.3
    — has-ansi@1.0.3
      — ansi-regex@1.1.1
      — get-stdin@4.0.1
    — strip-ansi@2.0.1
      — ansi-regex@1.1.1
    — supports-color@1.3.1
  — commander@2.8.1
    — graceful-readlink@1.0.1
  — is-my-json-valid@2.12.0
  — generate-function@2.0.0
  — generate-object-property@1.2.0
    — is-property@1.0.2
  — jsonpointer@1.1.0
  — xtend@4.0.0
— hawk@2.3.1
  — boom@2.7.2
  — cryptiles@2.0.4
  — hoek@2.13.0
  — sntp@1.0.9
— http-signature@0.10.1
  — asn1@0.1.11
  — assert-plus@0.1.5
  — ctype@0.5.3
— isstream@0.1.2
— json-stringify-safe@5.0.1
— mime-types@2.0.12
  — mime-db@1.10.0
— node-uuid@1.4.3
— oauth-sign@0.6.0
— qs@2.4.2
— stringstream@0.0.4
— tough-cookie@1.1.0
— tunnel-agent@0.4.0
— semver@3.0.1
— tar@1.0.3
  — block-stream@0.0.8
  — fstream@1.0.6
    — graceful-fs@3.0.7
    — mkdirp@0.5.1
```



```


├─┬─ minimatch@1.0.0
│   └─ sigmund@1.0.0
├─┬─ mkdirp@0.5.0
│   └─ minimist@0.0.8
├─ node-gyp@1.0.1
├─ nopt@3.0.1
├─ npm-cache-filename@1.0.1
├─ npm-install-checks@1.0.2
├─┬─ npm-registry-client@2.0.7
│   └─ couch-login@0.1.15
├─ npm-user-validate@0.1.0
├─┬─ npmconf@1.1.8
│   └─┬─ config-chain@1.1.8
│       └─ proto-list@1.2.3
├─ npmlog@0.1.1
├─ once@1.3.0
├─ opener@1.3.0
├─ osenv@0.1.0
├─ path-is-inside@1.0.1
├─┬─ read@1.0.5
│   └─ mute-stream@0.0.4
├─┬─ read-installed@2.0.5
│   └─ util-extend@1.0.1
├─┬─ read-package-json@1.2.7
│   └─ normalize-package-data@1.0.1
├─┬─ request@2.42.0 invalid
│   └─ aws-sign2@0.5.0
├─┬─ bl@0.9.1
│   └─┬─ readable-stream@1.0.31
│       ├── core-util-is@1.0.1
│       ├── isarray@0.0.1
│       └─ string_decoder@0.10.31
├─ caseless@0.6.0
├─ forever-agent@0.5.2
├─┬─ form-data@0.1.4
│   ├── async@0.9.0
│   ├──┬─ combined-stream@0.0.5
│   │   └─ delayed-stream@0.0.5
│   └─ mime@1.2.11
├─┬─ hawk@1.1.1
│   ├── boom@0.4.2
│   ├── cryptiles@0.2.2
│   ├── hoek@0.9.1
│   └─ sntp@0.2.4
├─┬─ http-signature@0.10.0
│   ├── asn1@0.1.11
│   └─ assert-plus@0.1.2

```

```
├── ctype@0.5.2
├── json-stringify-safe@5.0.0
├── mime-types@1.0.2
├── node-uuid@1.4.1
├── oauth-sign@0.4.0
├── qs@1.2.2
├── stringstream@0.0.4
├── tough-cookie@0.12.1
│   ├── punycode@1.3.1
│   └── tunnel-agent@0.4.0
├── retry@0.6.0
├── rimraf@2.2.8
├── semver@2.3.0
├── sha@1.2.4
│   ├── readable-stream@1.0.27-1
│   │   ├── core-util-is@1.0.1
│   │   ├── isarray@0.0.1
│   │   └── string_decoder@0.10.25-1
│   └── slide@1.1.6
├── sorted-object@1.0.0
├── tar@1.0.1
├── text-table@0.2.0
├── uid-number@0.0.5
├── which@1.0.5
├── steroids@4.1.0
│   ├── bluebird@2.3.5
│   ├── body-parser@1.8.1
│   │   ├── bytes@1.0.0
│   │   ├── depd@0.4.4
│   │   ├── iconv-lite@0.4.4
│   │   ├── media-typer@0.3.0
│   │   ├── on-finished@2.1.0
│   │   │   └── ee-first@1.0.5
│   │   ├── qs@2.2.3
│   │   ├── raw-body@1.3.0
│   │   └── type-is@1.5.7
│   │       ├── mime-types@2.0.11
│   │       └── mime-db@1.9.1
│   ├── bower@1.3.8
│   │   ├── abbrev@1.0.5
│   │   ├── archy@0.0.2
│   │   ├── bower-config@0.5.2
│   │   │   ├── graceful-fs@2.0.3
│   │   │   └── oserve@0.0.3
│   │   ├── bower-endpoint-parser@0.2.2
│   │   ├── bower-json@0.4.0
│   │   └── deep-extend@0.2.11
```

```
├── graceful-fs@2.0.3
├── intersect@0.0.3
├── bower-logger@0.2.2
├── bower-registry-client@0.2.4
│   ├── async@0.2.10
│   ├── graceful-fs@2.0.3
│   ├── lru-cache@2.3.1
│   ├── mkdirp@0.3.5
│   └── request@2.51.0
│       ├── aws-sign2@0.5.0
│       ├── bl@0.9.4
│       │   └── readable-stream@1.0.33
│       │       ├── core-util-is@1.0.1
│       │       ├── inherits@2.0.1
│       │       ├── isarray@0.0.1
│       │       └── string_decoder@0.10.31
│       ├── caseless@0.8.0
│       ├── combined-stream@0.0.7
│       │   └── delayed-stream@0.0.5
│       ├── forever-agent@0.5.2
│       ├── form-data@0.2.0
│       │   ├── async@0.9.0
│       │   └── mime-types@2.0.11
│       │       └── mime-db@1.9.1
│       ├── hawk@1.1.1
│       │   ├── boom@0.4.2
│       │   ├── cryptiles@0.2.2
│       │   ├── hoek@0.9.1
│       │   └── sntp@0.2.4
│       ├── http-signature@0.10.1
│       │   ├── asn1@0.1.11
│       │   ├── assert-plus@0.1.5
│       │   └── ctype@0.5.3
│       ├── json-stringify-safe@5.0.0
│       ├── mime-types@1.0.2
│       ├── node-uuid@1.4.3
│       ├── oauth-sign@0.5.0
│       ├── qs@2.3.3
│       ├── stringstream@0.0.4
│       ├── tough-cookie@1.1.0
│       └── tunnel-agent@0.4.0
├── request-replay@0.2.0
├── cardinal@0.4.4
│   ├── ansicolors@0.2.1
│   └── redepended@0.4.4
│       └── esprima@1.0.4
└── chalk@0.4.0
```


```
ansi-styles@1.0.0
has-color@0.1.7
strip-ansi@0.1.1
chmodr@0.1.0
decompress-zip@0.0.8
  binary@0.3.0
    buffers@0.1.1
    chainsaw@0.1.0
      traverse@0.3.9
    mkpath@0.1.0
  nopt@2.2.1
  readable-stream@1.1.13
    core-util-is@1.0.1
    inherits@2.0.1
    isarray@0.0.1
    string_decoder@0.10.31
  touch@0.0.2
  nopt@1.0.10
fstream@0.1.31
  inherits@2.0.1
fstream-ignore@0.0.10
  inherits@2.0.1
  minimatch@0.3.0
  sigmund@1.0.0
glob@4.0.6
  inherits@2.0.1
  minimatch@1.0.0
    sigmund@1.0.0
  once@1.3.2
  wrappy@1.0.1
graceful-fs@3.0.6
handlebars@1.3.0
  optimist@0.3.7
    wordwrap@0.0.2
  uglify-js@2.3.6
  async@0.2.10
  source-map@0.1.43
    amdefine@0.1.0
inquirer@0.5.1
  async@0.8.0
  cli-color@0.3.3
    d@0.1.1
  es5-ext@0.10.7
    es6-iterator@0.1.3
    es6-symbol@2.0.1
  memoizee@0.3.8
  es6-weak-map@0.1.4
```



```
├── cryptiles@0.2.2
│   ├── hoek@0.9.1
│   └── sntp@0.2.4
├── http-signature@0.10.1
│   ├── asn1@0.1.11
│   ├── assert-plus@0.1.5
│   └── ctype@0.5.3
├── json-stringify-safe@5.0.0
├── mime@1.2.11
├── node-uuid@1.4.3
├── oauth-sign@0.3.0
├── qs@0.6.6
└── tunnel-agent@0.3.0
is-root@0.1.0
junk@0.3.0
lockfile@0.4.3
lru-cache@2.5.2
├── mkdirp@0.5.0
│   └── minimist@0.0.8
├── mout@0.9.1
├── nopt@3.0.1
├── opn@0.1.2
├── osenv@0.1.0
├── p-throttler@0.0.1
│   └── q@0.9.7
├── promptly@0.2.1
│   ├── read@1.0.5
│   └── mute-stream@0.0.4
├── q@1.0.1
├── request@2.36.0
│   ├── aws-sign2@0.5.0
│   ├── forever-agent@0.5.2
│   └── form-data@0.1.4
│       ├── async@0.9.0
│       ├── combined-stream@0.0.7
│       └── delayed-stream@0.0.5
├── hawk@1.0.0
│   ├── boom@0.4.2
│   ├── cryptiles@0.2.2
│   ├── hoek@0.9.1
│   └── sntp@0.2.4
├── http-signature@0.10.1
│   ├── asn1@0.1.11
│   ├── assert-plus@0.1.5
│   └── ctype@0.5.3
├── json-stringify-safe@5.0.0
└── mime@1.2.11
```



```
node-uuid@1.4.3
oauth-sign@0.3.0
qs@0.6.6
tough-cookie@1.1.0
tunnel-agent@0.4.0
├─ request-progress@0.3.1
│ └─ throttleit@0.0.2
├─ retry@0.6.1
├─ rimraf@2.2.8
├─ shell-quote@1.4.3
│ ├── array-filter@0.0.1
│ ├── array-map@0.0.0
│ ├── array-reduce@0.0.0
│ └─ jsonify@0.0.0
├─ stringify-object@0.2.1
├─ tar@0.1.20
│ ├── block-stream@0.0.7
│ └─ inherits@2.0.1
├─ tmp@0.0.23
├─ update-notifier@0.2.2
│ ├── chalk@0.5.1
│ │ ├── ansi-styles@1.1.0
│ │ ├── escape-string-regexp@1.0.3
│ │ ├── has-ansi@0.1.0
│ │ │ └─ ansi-regex@0.2.1
│ │ ├── strip-ansi@0.3.0
│ │ │ └─ ansi-regex@0.2.1
│ │ └─ supports-color@0.2.0
│ ├── configstore@0.3.2
│ │ ├── js-yaml@3.3.0
│ │ │ ├── argparse@1.0.2
│ │ │ │ ├── lodash@3.8.0
│ │ │ │ └─ sprintf-js@1.0.2
│ │ │ └─ esprima@2.2.0
│ │ ├── object-assign@2.0.0
│ │ ├── user-home@1.1.1
│ │ ├── uuid@2.0.1
│ │ └─ xdg-basedir@1.0.1
├─ is-npm@1.0.0
├─ latest-version@1.0.0
│ └─ package-json@1.1.0
│ └─ got@2.9.2
│ │ ├── duplexify@3.3.0
│ │ │ ├── end-of-stream@1.0.0
│ │ │ │ └─ once@1.3.2
│ │ │ └─ wrappy@1.0.1
│ └─ readable-stream@1.0.33
```



```
├── repeat-element@1.1.2
├── debug@2.1.3
│   ├── ms@0.7.0
│   ├── expand-brackets@0.1.1
│   ├── filename-regex@2.0.0
│   ├── is-glob@1.1.3
│   ├── kind-of@1.1.0
│   ├── object.omit@0.2.1
│   │   ├── for-own@0.1.3
│   │   │   ├── for-in@0.1.4
│   │   │   └── isobject@0.2.0
│   │   └── parse-glob@3.0.2
│   │       ├── glob-base@0.2.0
│   │       ├── is-dotfile@1.0.0
│   │       ├── is-extglob@1.0.0
│   │       └── regex-cache@0.4.2
│   │           ├── is-equal-shallow@0.1.2
│   │           │   └── is-primitive@1.0.0
│   │           └── is-primitive@2.0.0
├── async-each@0.1.6
├── fsevents@0.3.6
│   └── nan@1.8.4
├── glob-parent@1.2.0
│   └── is-glob@1.1.3
├── is-binary-path@1.0.0
│   └── binary-extensions@1.3.0
├── readdirp@1.3.0
│   ├── graceful-fs@2.0.3
│   ├── minimatch@0.2.14
│   │   ├── lru-cache@2.6.2
│   │   └── sigmund@1.0.0
│   └── readable-stream@1.0.33
│       ├── core-util-is@1.0.1
│       ├── inherits@2.0.1
│       ├── isarray@0.0.1
│       └── string_decoder@0.10.31
├── chrome-cli@1.5.0-AppGyver-p0
├── coffee-script@1.6.3
├── colorize@0.1.0
├── data.either@1.2.0
├── express@4.8.8
│   ├── accepts@1.0.7
│   │   ├── mime-types@1.0.2
│   │   └── negotiator@0.4.7
│   ├── buffer-crc32@0.2.3
│   ├── cookie@0.1.2
│   └── cookie-signature@1.0.4
```

```
├── debug@1.0.4
│   └── ms@0.6.2
├── depd@0.4.4
├── escape-html@1.0.1
├── finalhandler@0.1.0
├── fresh@0.2.2
├── media-typer@0.2.0
├── merge-descriptors@0.0.2
├── methods@1.1.0
├── parseurl@1.3.0
├── path-to-regexp@0.1.3
├── proxy-addr@1.0.1
│   └── ipaddr.js@0.1.2
├── qs@2.2.2
├── range-parser@1.0.0
├── send@0.8.5
│   ├── destroy@1.0.3
│   ├── mime@1.2.11
│   ├── ms@0.6.2
│   └── on-finished@2.1.0
│       └── ee-first@1.0.5
├── serve-static@1.5.4
├── type-is@1.3.2
│   └── mime-types@1.0.2
├── utils-merge@1.0.0
├── vary@0.1.0
├── express-json@1.0.0
├── figlet@1.1.0
├── fs-extra@0.13.0
│   ├── jsonfile@2.0.0
│   ├── ncp@1.0.1
│   └── rimraf@2.3.3
│       └── glob@4.5.3
│           ├── inflight@1.0.4
│           │   └── wrappy@1.0.1
│           ├── inherits@2.0.1
│           ├── minimatch@2.0.7
│           │   ├── brace-expansion@1.1.0
│           │   │   ├── balanced-match@0.2.0
│           │   │   └── concat-map@0.0.1
│           └── once@1.3.2
│               └── wrappy@1.0.1
├── generator-steroids@1.0.18
│   └── chalk@0.5.1
│       ├── ansi-styles@1.1.0
│       ├── escape-string-regexp@1.0.3
│       └── has-ansi@0.1.0
```

```
├──┬── ansi-regex@0.2.1
│   ├── strip-ansi@0.3.0
│   ├──┬── ansi-regex@0.2.1
│   │   └── supports-color@0.2.0
│   ├── coffee-script@1.8.0
│   ├──┬── mkdirp@0.3.5
│   ├── lodash-node@2.4.1
│   ├── mustache@0.8.2
│   ├── underscore.string@2.3.3
│   └── yosay@0.3.0
├──┬── ansi-regex@0.2.1
│   ├── ansi-styles@1.1.0
│   ├──┬── chalk@0.4.0
│   │   ├──┬── ansi-styles@1.0.0
│   │   │   ├── has-color@0.1.7
│   │   │   └── strip-ansi@0.1.1
│   │   ├── minimist@0.2.0
│   │   ├── pad-component@0.0.1
│   │   ├── string-length@0.1.2
│   │   ├──┬── strip-ansi@0.2.2
│   │   │   └── ansi-regex@0.1.0
│   │   ├──┬── taketalk@0.1.1
│   │   │   ├── get-stdin@0.1.0
│   │   │   └── minimist@0.1.0
│   │   └── word-wrap@0.1.3
│   └── grunt@0.4.5
├──┬── async@0.1.22
│   ├── coffee-script@1.3.3
│   ├── colors@0.6.2
│   ├── dateformat@1.0.2-1.2.3
│   ├── eventemitter2@0.4.14
│   ├── exit@0.1.2
│   ├──┬── findup-sync@0.1.3
│   │   ├──┬── glob@3.2.11
│   │   │   ├── inherits@2.0.1
│   │   │   ├──┬── minimatch@0.3.0
│   │   │   │   ├── lru-cache@2.6.2
│   │   │   │   └── sigmund@1.0.0
│   │   └── lodash@2.4.2
│   ├── getobject@0.1.0
│   ├──┬── glob@3.1.21
│   │   ├── graceful-fs@1.2.3
│   │   └── inherits@1.0.0
│   ├──┬── grunt-legacy-log@0.1.1
│   │   ├── lodash@2.4.2
│   │   └── underscore.string@2.3.3
│   └── grunt-legacy-util@0.2.0
```

```
hooker@0.2.3
iconv-lite@0.2.11
js-yaml@2.0.5
├── argparse@0.1.16
│   ├── underscore@1.7.0
│   └── underscore.string@2.4.0
└── esprima@1.0.4
lodash@0.9.2
minimatch@0.2.14
├── lru-cache@2.6.2
└── sigmund@1.0.0
nopt@1.0.10
└── abbrev@1.0.5
rimraf@2.2.8
underscore.string@2.2.1
which@1.0.9
inquirer@0.3.4
├── async@0.2.10
├── cli-color@0.2.3
│   ├── es5-ext@0.9.2
│   └── memoizee@0.2.6
│       ├── event-emitter@0.2.2
│       └── next-tick@0.1.0
└── lodash@1.2.1
    └── mute-stream@0.0.3
ios-sim@3.0.0-AppGyver-p1
├── js-yaml@3.0.2
│   ├── argparse@0.1.16
│   ├── underscore@1.7.0
│   └── underscore.string@2.4.0
└── esprima@1.0.4
lodash@2.4.1
npm@2.1.7
├── abbrev@1.0.5
├── ansi@0.3.0
├── ansicolors@0.3.2
├── ansistyles@0.1.3
├── archy@1.0.0
├── async-some@1.0.1
├── block-stream@0.0.7
├── char-spinner@1.0.1
├── child-process-close@0.1.1
├── chmodr@0.1.0
├── chownr@0.0.1
├── cmd-shim@2.0.1
├── columnify@1.2.1
└── strip-ansi@1.0.0
```

```
├──┬── ansi-regex@0.2.1
│   ├── wcmwidth@1.0.0
│   ├── defaults@1.0.0
│   └── clone@0.1.18
├── config-chain@1.1.8
│   └── proto-list@1.2.3
├── dezalgo@1.0.1
│   └── asap@1.0.0
├── editor@0.1.0
├── fs-vacuum@1.2.1
├── fs-write-stream-atomic@1.0.2
├── fstream@1.0.2
├── fstream-npm@1.0.1
│   └── fstream-ignore@1.0.1
├── github-url-from-git@1.4.0
├── github-url-from-username-repo@1.0.2
├── glob@4.0.6
├── graceful-fs@3.0.4
├── inflight@1.0.4
├── inherits@2.0.1
├── ini@1.3.0
├── init-package-json@1.1.1
│   └── promzard@0.2.2
├── lockfile@1.0.0
├── lru-cache@2.5.0
├── minimatch@1.0.0
│   └── sigmund@1.0.0
├── mkdirp@0.5.0
│   └── minimist@0.0.8
├── node-gyp@1.0.2
├── nopt@3.0.1
├── normalize-package-data@1.0.3
├── npm-cache-filename@1.0.1
├── npm-install-checks@1.0.4
├── npm-package-arg@2.1.3
├── npm-registry-client@4.0.1
│   ├── concat-stream@1.4.6
│   ├── readable-stream@1.1.13
│   │   ├── core-util-is@1.0.1
│   │   ├── isarray@0.0.1
│   │   └── string_decoder@0.10.31
│   └── typedarray@0.0.6
├── npm-user-validate@0.1.1
├── npmlog@0.1.1
├── once@1.3.1
├── opener@1.4.0
├── osenv@0.1.0
```


```
├── path-is-inside@1.0.1
├── read@1.0.5
│   ├── mute-stream@0.0.4
├── read-installed@3.1.3
│   ├── debuglog@1.0.1
│   ├── readdir-scoped-modules@1.0.0
│   └── util-extend@1.0.1
├── read-package-json@1.2.7
├── readable-stream@1.0.32
│   ├── core-util-is@1.0.1
│   ├── isarray@0.0.1
│   └── string_decoder@0.10.31
├── realize-package-specifier@1.2.0
├── request@2.47.0
│   ├── aws-sign2@0.5.0
│   ├── bl@0.9.3
│   ├── caseless@0.6.0
│   ├── combined-stream@0.0.5
│   │   └── delayed-stream@0.0.5
│   ├── forever-agent@0.5.2
│   ├── form-data@0.1.4
│   │   ├── async@0.9.0
│   │   └── mime@1.2.11
│   ├── hawk@1.1.1
│   │   ├── boom@0.4.2
│   │   ├── cryptiles@0.2.2
│   │   ├── hoek@0.9.1
│   │   └── sntp@0.2.4
│   ├── http-signature@0.10.0
│   │   ├── asn1@0.1.11
│   │   ├── assert-plus@0.1.2
│   │   └── ctype@0.5.2
│   ├── json-stringify-safe@5.0.0
│   ├── mime-types@1.0.2
│   ├── node-uuid@1.4.1
│   ├── oauth-sign@0.4.0
│   ├── qs@2.3.2
│   ├── stringstream@0.0.4
│   ├── tough-cookie@0.12.1
│   │   └── punycode@1.3.2
│   └── tunnel-agent@0.4.0
├── retry@0.6.1
├── rimraf@2.2.8
├── semver@4.1.0
├── sha@1.3.0
│   └── readable-stream@1.1.13
│       └── core-util-is@1.0.1
```





```
├───┬─── isarray@0.0.1
│   │   └─── string_decoder@0.10.31
│   └─── slide@1.1.6
├─── sorted-object@1.0.0
├─── tar@1.0.2
├─── text-table@0.2.0
├─── uid-number@0.0.5
├─── which@1.0.5
├─── wrappy@1.0.1
├─── write-file-atomic@1.1.0
├─── oauth@0.9.10
├─── open@0.0.4
├───┬─── optimist@0.6.0
│   │   ├─── minimalist@0.0.10
│   │   └─── wordwrap@0.0.2
├─── path-extra@0.3.0
├───┬─── portscanner@1.0.0
│   │   └─── async@0.1.15
├───┬─── prompt@0.2.11
│   │   ├─── pkginfo@0.3.0
│   │   ├───┬─── read@1.0.5
│   │   │   │   └─── mute-stream@0.0.4
│   │   ├─── revalidator@0.1.8
│   │   ├───┬─── utile@0.2.1
│   │   │   ├─── async@0.2.10
│   │   │   ├─── deep-equal@1.0.0
│   │   │   ├─── i@0.3.3
│   │   │   ├───┬─── mkdirp@0.5.0
│   │   │   │   └─── minimalist@0.0.8
│   │   │   ├─── ncp@0.4.2
│   │   │   ├───┬─── rimraf@2.3.3
│   │   │   │   └─── glob@4.5.3
│   │   │   ├───┬─── inflight@1.0.4
│   │   │   │   └─── wrappy@1.0.1
│   │   │   ├─── inherits@2.0.1
│   │   │   ├───┬─── minimatch@2.0.7
│   │   │   │   ├─── brace-expansion@1.1.0
│   │   │   │   ├───┬─── balanced-match@0.2.0
│   │   │   │   └─── concat-map@0.0.1
│   │   │   └─── once@1.3.2
│   │   └───┬─── wrappy@1.0.1
│   │       └─── winston@0.6.2
├─── async@0.1.22
├─── colors@0.6.2
├─── cycle@1.0.3
├─── eyes@0.1.8
├─── pkginfo@0.2.3
```


```
├── request@2.9.203
├── stack-trace@0.0.9
├── q@0.9.7
├── qrcode-terminal@0.9.4
├── request@2.53.0
├── aws-sign2@0.5.0
├── bl@0.9.4
├── readable-stream@1.0.33
├── core-util-is@1.0.1
├── inherits@2.0.1
├── isarray@0.0.1
├── string_decoder@0.10.31
├── caseless@0.9.0
├── combined-stream@0.0.7
├── delayed-stream@0.0.5
├── forever-agent@0.5.2
├── form-data@0.2.0
├── async@0.9.0
├── hawk@2.3.1
├── boom@2.7.1
├── cryptiles@2.0.4
├── hoek@2.13.0
├── sntp@1.0.9
├── http-signature@0.10.1
├── asn1@0.1.11
├── assert-plus@0.1.5
├── ctype@0.5.3
├── isstream@0.1.2
├── json-stringify-safe@5.0.0
├── mime-types@2.0.11
├── mime-db@1.9.1
├── node-uuid@1.4.3
├── oauth-sign@0.6.0
├── qs@2.3.3
├── stringstream@0.0.4
├── tough-cookie@1.1.0
├── tunnel-agent@0.4.0
├── restler@3.2.2
├── iconv-lite@0.2.11
├── qs@0.6.6
├── xml2js@0.4.0
├── sax@0.5.8
├── yaml@0.2.3
├── semver@2.3.1
├── steroids-android-packages@0.0.8
├── steroids-connect@1.0.33
├── steroids-ios-packages@4.0.3
```

```
├─┬─ tiny-lr@0.1.4-AppGyver-p0
│   ├── debug@2.0.0
│   │   └─ ms@0.6.2
│   ├── faye-websocket@0.7.3
│   │   └─ websocket-driver@0.5.4
│   │       └─ websocket-extensions@0.1.1
│   ├── parseurl@1.3.0
│   └─ qs@2.2.5
├─┬─ winston@0.9.0
│   ├── async@0.9.0
│   ├── colors@1.0.3
│   ├── cycle@1.0.3
│   ├── eyes@0.1.8
│   ├── isstream@0.1.2
│   ├── pkginfo@0.3.0
│   └─ stack-trace@0.0.9
├─ wrench@1.5.4
├─┬─ xml2js@0.4.4
│   └─ sax@0.6.1
├─ xmlbuilder@2.6.1
│   └─ lodash@3.3.1
├─ yeoman-generator@0.17.7
│   ├── async@0.9.0
│   ├── chalk@0.5.1
│   │   ├── ansi-styles@1.1.0
│   │   ├── escape-string-regexp@1.0.3
│   │   ├── has-ansi@0.1.0
│   │   │   └─ ansi-regex@0.2.1
│   │   ├── strip-ansi@0.3.0
│   │   │   └─ ansi-regex@0.2.1
│   │   └─ supports-color@0.2.0
│   ├── cheerio@0.17.0
│   │   ├── CSSselect@0.4.1
│   │   │   ├── CSSwhat@0.4.7
│   │   │   └─ domutils@1.4.3
│   │   │       └─ domelementtype@1.3.0
│   │   ├── dom-serializer@0.0.1
│   │   │   └─ domelementtype@1.1.3
│   │   ├── entities@1.1.1
│   │   ├── htmlparser2@3.7.3
│   │   │   ├── domelementtype@1.3.0
│   │   │   ├── domhandler@2.2.1
│   │   │   ├── domutils@1.5.1
│   │   │   ├── entities@1.0.0
│   │   │   └─ readable-stream@1.1.13
│   │   │       ├── core-util-is@1.0.1
│   │   │       └─ inherits@2.0.1
```











```
├── strip-ansi@2.0.1
│   ├── rx@2.5.2
│   └── through@2.3.7
├── isbinaryfile@2.0.4
├── mime@1.3.4
├── mkdirp@0.5.0
│   └── minimist@0.0.8
├── nopt@3.0.1
│   └── abbrev@1.0.5
├── rimraf@2.3.3
├── run-async@0.1.0
│   ├── once@1.3.2
│   └── wrappy@1.0.1
├── shelljs@0.3.0
├── text-table@0.2.0
├── underscore.string@2.4.0
├── yo@1.4.6
├── array-uniq@1.0.2
├── async@0.9.0
├── chalk@1.0.0
│   ├── ansi-styles@2.0.1
│   ├── escape-string-regexp@1.0.3
│   ├── has-ansi@1.0.3
│   │   ├── ansi-regex@1.1.1
│   │   └── get-stdin@4.0.1
│   ├── strip-ansi@2.0.1
│   │   └── ansi-regex@1.1.1
│   └── supports-color@1.3.1
├── configstore@0.3.2
├── graceful-fs@3.0.6
├── js-yaml@3.3.0
│   ├── argparse@1.0.2
│   └── sprintf-js@1.0.2
├── esprima@2.2.0
├── mkdirp@0.5.0
│   └── minimist@0.0.8
├── object-assign@2.0.0
├── osenv@0.1.0
├── uuid@2.0.1
├── xdg-basedir@1.0.1
├── cross-spawn@0.2.9
│   └── lru-cache@2.6.2
├── figures@1.3.5
├── findup@0.1.5
│   ├── colors@0.6.2
│   └── commander@2.1.0
├── fullname@1.1.0
```



```
├── npmconf@2.1.1
│   ├── config-chain@1.1.8
│   │   └── proto-list@1.2.3
│   ├── inherits@2.0.1
│   ├── ini@1.3.3
│   ├── mkdirp@0.5.0
│   │   └── minimist@0.0.8
│   ├── nopt@3.0.1
│   │   └── abbrev@1.0.5
│   ├── once@1.3.2
│   │   └── wrappy@1.0.1
│   ├── osenv@0.1.0
│   └── uid-number@0.0.5
├── got@2.9.2
│   ├── duplexify@3.3.0
│   │   ├── end-of-stream@1.0.0
│   │   │   ├── once@1.3.2
│   │   │   └── wrappy@1.0.1
│   │   └── readable-stream@1.0.33
│   ├── core-util-is@1.0.1
│   ├── inherits@2.0.1
│   ├── isarray@0.0.1
│   └── string_decoder@0.10.31
├── infinity-agent@2.0.3
├── is-stream@1.0.1
├── lowercase-keys@1.0.0
├── nested-error-stacks@1.0.0
├── object-assign@2.0.0
├── prepend-http@1.0.1
├── read-all-stream@2.1.2
│   └── readable-stream@1.1.13
│       ├── core-util-is@1.0.1
│       ├── inherits@2.0.1
│       ├── isarray@0.0.1
│       └── string_decoder@0.10.31
├── statuses@1.2.1
├── timed-out@2.0.0
├── humanize-string@1.0.1
│   └── decamelize@1.0.0
├── inquirer@0.8.3
│   ├── ansi-regex@1.1.1
│   ├── cli-width@1.0.1
│   ├── readline2@0.1.1
│   │   ├── mute-stream@0.0.4
│   │   └── strip-ansi@2.0.1
│   ├── rx@2.5.2
│   └── through@2.3.7
```

```
├── insight@0.5.3
│   ├── lodash.debounce@3.0.3
│   │   └── lodash.isnative@3.0.2
│   ├── object-assign@2.0.0
│   ├── os-name@1.0.3
│   │   ├── osx-release@1.0.0
│   │   │   └── minimist@1.1.1
│   │   └── win-release@1.0.0
│   ├── tough-cookie@0.12.1
│   └── punycode@1.3.2
├── lodash@3.8.0
├── meow@3.1.0
│   ├── camelcase-keys@1.0.0
│   │   ├── camelcase@1.0.2
│   │   └── map-obj@1.0.1
│   ├── indent-string@1.2.1
│   │   ├── get-stdin@4.0.1
│   │   └── repeating@1.1.2
│   │       └── is-finite@1.0.0
│   ├── minimist@1.1.1
│   └── object-assign@2.0.0
├── npm-keyword@1.1.1
│   ├── registry-url@3.0.3
│   └── rc@1.0.1
│       ├── deep-extend@0.2.11
│       ├── ini@1.3.3
│       ├── minimist@0.0.10
│       └── strip-json-comments@0.1.3
├── opn@1.0.2
├── package-json@1.1.0
│   ├── registry-url@3.0.3
│   └── rc@1.0.1
│       ├── deep-extend@0.2.11
│       ├── ini@1.3.3
│       ├── minimist@0.0.10
│       └── strip-json-comments@0.1.3
├── root-check@1.0.0
│   ├── downgrade-root@1.1.0
│   │   ├── default-uid@1.0.0
│   │   └── is-root@1.0.0
│   ├── sudo-block@1.2.0
│   │   ├── is-docker@1.0.0
│   │   └── is-root@1.0.0
├── sort-on@1.2.0
│   └── dot-prop@2.0.0
├── string-length@1.0.0
└── strip-ansi@2.0.1
```





```

├── window-size@0.1.0
├── wordwrap@0.0.2
├── winston@0.7.3
│   ├── cycle@1.0.3
│   ├── eyes@0.1.8
│   ├── pkginfo@0.3.0
│   ├── request@2.16.6
│   ├── aws-sign@0.2.0
│   ├── cookie-jar@0.2.0
│   ├── forever-agent@0.2.0
│   ├── form-data@0.0.10
│   │   ├── combined-stream@0.0.7
│   │   └── delayed-stream@0.0.5
│   ├── hawk@0.10.2
│   │   ├── boom@0.3.8
│   │   ├── cryptiles@0.1.3
│   │   ├── hoek@0.7.6
│   │   └── sntp@0.1.4
│   ├── json-stringify-safe@3.0.0
│   ├── mime@1.2.11
│   ├── node-uuid@1.4.3
│   ├── oauth-sign@0.2.0
│   ├── qs@0.5.6
│   ├── tunnel-agent@0.2.0
│   └── stack-trace@0.0.9
└── wrench@1.5.8

```

NPM\_CONFIG\_PREFIX env value: null

Npm config prefix value : /usr/local

ENV:

SHELL=/bin/bash

TMPDIR=/var/folders/qg/\_vd2d6zs60xb11jyw5h30h8w0000gp/T/

SHLVL=1

SECURITYSESSIONID=186a5

\_\_CF\_USER\_TEXT\_ENCODING=0x1F6:0x0:0x0

PATH=/usr/local/bin:/usr/bin:/bin:/usr/sbin:/sbin:/opt/X11/bin:/usr/local/git/bin

XPC\_FLAGS=0x0

APTANA\_VERSION=4.0.0.1428691868

DISPLAY=/private/tmp/com.apple.launchd.f9K37gYpxX/org.macosforge.xquartz:0

USER=Lamar

PWD=/Applications/Appcelerator Studio/AppceleratorStudio.app/Contents/MacOS

HOME=/Users/Lamar

LOGNAME=Lamar

XPC\_SERVICE\_NAME=com.appcelerator.appcelerator-studio.181792

Apple\_PubSub\_Socket\_Render=/private/tmp/com.apple.launchd.gZclr00Cka/Render

SSH\_AUTH\_SOCK=/private/tmp/com.apple.launchd.nAfHsQMmBC/Listeners

LANG=en\_US.UTF-8

